

NATURE, YOU CAN FEEL...



THE NATURAL PRODUCT

Our laminate flooring products are all made with nature in mind. Thanks to the advanced to be cut down. production techniques and the use of renewable wood materials you can be safe in the knowledge you are laying an environmentally friendly product in your home.

Our floors are produced in Germany and THE PRODUCT RANGE Austria and consist of almost 100 % natural raw materials. Domestic timber is used ex- Our JANGAL range includes more than 40 dethe most modern technology. So that no tree and their thickness from 7 mm to 12 mm.

in the rain forests of Asia or South America has

With our floors we offer you the opportunity to make your rooms attractive and homely in a sustainable way.

clusively for the production of the wood fibre cors named after indigenous people, natioboards which are the basis of the floors. Our nal parks, islands and mountains. The floors superb selection of decors and designs is differ in their characteristics such as synchrographically reproduced true to nature using nous embossing, groove and plank format











INHALT

NIATIONIAL DADICLINE

NATIONAL PARK LINE	04
8 mm National Park line Plus	06
8 mm National Park Line Pro	08
8 mm National Park Line Ultimate	10
ISLAND LINE	14
10 mm Island Line Pro	16
STATE PARK LINE	18
12 mm State Park Line Plus	20
12 mm State Park Line Pro	22
STONE LINE	24
8 mm Stone Line – high-gloss laminate	26
TECHNICAL INFORMATION	28
DECOR OVERVIEW	30
EQUIPPED – ACCESSORIES	42



8 mm click laminate

NATIONAL PARK LINE

National parks protect special areas, landscapes and their animal richness in this world. They are characterized by a unique, undisturbed landscape, wilderness and natural abundance of species. In the "JANGAL National Park Line" we present unique laminate floors in plank and wide plank formats inspired by the great natural diversity. Visually, the floors impress with their circumferential groove (4V-groove), which makes the planks look even more natural.

The National Park Line Ultimate floors are a special highlight of the collection. With their synchronous surface they create the impression of a real wooden floor. Thanks to a utilisation class of 32, the decors can be used in the medium commercial sector.



Recommended private











8052 Soil Oak Skirting: 2008-L | Accessories colour: Grey



8054 Grey Oak Skirting: 8147-L | Accessories colour: Silver grey



8055 Nature Oak Skirting: 2072-L | Accessories colour: Oak



8200 Gobi Oak Skirting: 3073-L | Accessories colour: Maple



8201 Zion Oak Skirting: 6501-L | Accessories colour: Silver grey





8058 Structure Oak Skirting: 8058-L | Accessories colour: Silver grey



8145 Bright Oak Skirting: 8145-L | Accessories colour: Oak



8147 Dry Oak Skirting: 8147-L | Accessories colour: Silver grey



8148 Silent Oak Skirting: 8148-L | Accessories colour: Maple



8202 Sarek Oak Skirting: 8145-L | Accessories colour: Maple



8203 Muddus Oak Skirting: 2418-L | Accessories colour: Oak



8204 Redwood Oak Skirting: 8204-L | Accessories colour: Silver grey





8019 Golden Stream Oak Skirting: 8019-L | Accessories colour: Oak



8024 Honey Camp Oak Skirting: 8024-L | Accessories colour: Silver grey



8081 Blyde River Oak Skirting: 2051-L | Accessories colour: Grey

1-strip

(country plank)

8 panels / box 2.694 sqm / box

42 boxes / pallet 113.1 sqm / pallet





8085 Lunga Oak Skirting: 8085-L | Accessories colour: Oak



8086 Okavango Oak Skirting: 8086-L | Accessories colour: Grey



8103 Nairobi Oak Skirting: 6502-L | Accessories colour: Maple



8104 Zembra Oak Skirting: 2008-L | Accessories colour: Grey



8129 Kosi Bay Oak Skirting: 8129-L | Accessories colour: Grey



10 mm click laminate

ISLAND LINE

Small and large islands belong to every continent of this world, which are either inhabited by humans and animals alike or simply offer special natural sights and provide a home for rare animal species. Like the islands, the floors of the "JANGAL Island Line" have their own special character. With a product thickness of 10 mm, they are robust and durable.

The decors in plank and wide plank format impress with their all-round 4V-groove as well as naturally tactile surface, which runs synchronously with the wood grain. The use in commercial areas with heavy traffic is no problem due to the utilisation class of 33.

30 YEARS 5 YEARS

JANGAL GUARANTEE



JANGAL GUARANTEE


Recommended commercial utilisation class:













6500 Nendo Chestnut Skirting: 6500-L | Accessories colour: Black



6502 Mota Chestnut Skirting: 6502-L | Accessories colour: Oak





12 mm click laminate

STATE PARK LINE

A "state park" is a landscape in the U.S. that is particularly worthy of protection. They resemble national parks, but are usually smaller and consequently less famous. The "JANGAL State Park Line" is dedicated to these.

With a thickness of 12 mm, these decors are among the most stable designs. Due to their robustness and thickness, the floor shows little signs of wear and a particularly strong click connection, making it suitable for intensive commercial use (utilisation class of 33). The decors are available with 4V-groove. The State Park Line Pro also stands out for its synchronous surface

30 YEARS SYEARS JANGAL GUARANTEE JANGAL GUARANTEE Recommended private utilisation class:





Easy-Click







2987 Trinity Oak Skirting: 2987-L | Accessories colour: Oak



3073 Tula Oak Skirting: 3073-L | Accessories colour: Oak




3075 Chico Oak Skirting: 3075-L | Accessories colour: Silver grey



8153 Outamba Oak Skirting: 8145-L | Accessories colour: Oak







3221 Brill Oak Skirting: 3221-L | Accessories colour: Maple



3570 Seaward Oak Skirting: 8019-L | Accessories colour: Oak



3590 Tanon Oak Skirting: 8100-L | Accessories colour: Walnut










2909 Botticino Classico dark Skirting: 2909-L | Accessories colour: Black



2911 Botticino Classico light Skirting: 2911-L | Accessories colour: Maple



2935 Plain White Skirting: 2935-L | Accessories colour: White



5100 Grey Slate Skirting: 5100-L | Accessories colour: Silver grey



TECHNICAL INFORMATION

FORMAT

Our floors are available in tile, plank and wide plank formats.









DECOR PATTERNS















4V-GROOVE

With a circumferential groove along the long and short edges, the result is an installation pattern with the charm and

elegance of a genuine wooden plank floor, as each individual plank is accentuated.



SYNCHRONOUSLY EMBOSSED SURFACE

To enhance the authenticity, synchronous embossing is utilised to create a textured empossing is dilliced. . . . surface that emulates the natural look and

touch of real wood and matches the design.

UTILISATION CLASS

PRIVATE USE							
UTILISATION C	LASS	INTENSITY OF USE					
	21	light					
	22	medium					
	23	heavy					

COMMERCIAL USE						
UTILISATION C	LASS	INTENSITY OF USE				
	31	light				
	32	medium				
	33	heavy				

CLICK-CONNECTIONS



EASY-CLICK

With the Easy-Click connection, each plank can be laid individually. The planks are angled at the long sides and locked

at the short sides by lightly pressing them in.



ONE-CLICK

With this click connection, a row is first created across the entire width of the room by clicking on the front side. The next row is clicked length-

ways into the groove profile of the previous row. To lock, the plank is angled downwards and snapped into place with pressure from above until an audible click is heard.



LOC-CLICK

With the Loc-Click connection, a row is first created over the entire width of the room by clicking on the front. The planks of the second row are not yet connected to the longitudinal side of the first row. Only after the planks of the second row are connected on the front side is the tongue of the second

row connected to the groove of the first row by lifting slightly.



The click connections are ideally suited for floating installation on your own.

Detailed installation instructions can be found on the insert or the back of each box, at jangal.eu or as videos on our YouTube channel.

COLLECTION OVERVIEW

			E		<u></u>	A			
COLLECTION OVERVIEW	m²/BOX	BOXES / PALLET	roc-crick	EASY-CLICK	ONE-CLICK	GROOVE	SYNCHRNOUS- LY EMBOSSED SURFACE	SPECIAL FORMAT	PAGE
8 mm National Park Line Plus	2.131	119.3							10
8 mm National Park Line Pro	2.694	113.1							12
8 mm National Park Line Ultimate	2.694	113.1							14
10 mm Island Line Pro	1.598	89.5							20
12 mm State Park Line Plus	1.293	72.4							24
12 mm State Park Line Pro	1.293	72.4							26
8 mm High-gloss Stone Line	2.592	101.1							34

FEATURES





abrasion-resistant



chair castor suitable



impact resistant

stain resistant




largely resistant to cigarette burns

suitable for hot

water underfloor heating







29

Decor overview

NATIONAL PARK LINE PLUS







8 x 193 x 1380 mm | 8 panels / box | 2.131 sqm / box | weight approx. 14.3 kg | 56 boxes / pallet | 119.3 sqm / pallet



8052 Soil Oak EAN 4250055102600 Skirting: 2008-L | Colour: Grey



8054 Grev Oak EAN 4250055102624 Skirting: 8147-L | Colour: Silver grey Skirting: 2072-L | Colour: Oak



8055 Nature Oak EAN 4250055102631



8200 Gobi Oak EAN 4250055112890 Skirting: 3073-L | Colour: Maple



8201 Zion Oak EAN 4250055112906 Skirting: 6501-L | Colour: Silver grey

NATIONAL PARK LINE PRO












8 x 244 x 1380 mm | 8 panels / box | 2.694 sqm / box | weight approx. 18.0 kg | 42 boxes / pallet | 113.1 sqm / pallet



8058 Structure Oak EAN 4250055103737 Skirting: 8058-L | Colour: Silver grey



8145 Bright Oak EAN 4250055107056 Skirting: 8145-L | Colour: Oak



8147 Dry Oak EAN 4250055107070 Skirting: 8147-L | Colour: Silver grey



8148 Silent Oak EAN 4250055107087 Skirting: 8148-L | Colour: Maple



8202 Sarek Oak EAN 4250055112913 Skirting: 8145-L | Colour: Maple



8203 Muddus Oak EAN 4250055112920 Skirting: 2418-L | Colour: Oak



8204 Redwood Oak EAN 4250055112937 Skirting: 8204-L | Colour: Silver grey

NATIONAL PARK LINE ULTIMATE











8 x 244 x 1380 mm | 8 panels / box | 2.694 sqm / box | weight approx. 18.0 kg | 42 boxes / pallet | 113.1 sqm / pallet



8019 Golden Stream Oak EAN 4250055102105 Skirting: 8019-L | Colour: Oak



8024 Honeu Camp Oak EAN 4250055102082 Skirting: 8024-L | Colour: Silver grey



8081 Blude River Oak EAN 4250055104581 Skirting: 2051-L | Colour: Grey



8085 Lunna Oak EAN 4250055104628 Skirting: 8085-L | Colour: Oak



8086 Okavango Oak EAN 4250055104635 Skirting: 8086-L | Colour: Grey



8103 Nairobi Oak EAN 4250055104871 Skirting: 6502-L | Colour: Maple



8104 Zembra Oak EAN 4250055104888 Skirting: 2008-L | Colour: Grey



8129 Kosi Bay Oak EAN 4250055105793 Skirting: 8129-L | Colour: Grey

ISLAND LINE PRO









10 x 193 x 1380 mm | 6 panels / box | 1.598 sqm / box | weight approx. 13.3 kg | 56 boxes / pallet | 89.5 sqm / pallet



6500 Nendo Chestnut EAN 4250055102143 Skirting: 6500-L | Colour: Black



6502 Mota Chestnut EAN 4250055102167 Skirting: 6502-L | Colour: Oak

STATE PARK LINE PLUS











12 x 188 x 1375 mm | 5 panels / box | 1.293 sqm / box | weight approx. 12.9 kg | 56 boxes / pallet | 72.4 sqm / pallet



2987 Trinity Oak EAN 4250055108343 Skirting: 2987-L | Colour: Oak



3073 Tula Oak FAN 4250055108350 Skirting: 3073-L | Colour: Oak



3075 Chico Oak EAN 4250055108374 Skirting: 3075-L | Colour: Silver grey



8153 Outamba Oak FAN 4250055108299 Skirting: 8145-L | Colour: Oak

STATE PARK LINE PRO











12 x 188 x 1375 mm | 5 panels / box | 1.293 sqm / box | weight approx. 12.9 kg | 56 boxes / pallet | 72.4 sqm / pallet



3221 Brill Oak EAN 4250055110162 Skirting: 3221-L | Colour: Maple



3570 Seaward Oak EAN 4250055110179 Skirting: 8019-L | Colour: Oak



3590 Tanon Oak EAN 4250055110193 Skirting: 8100-L | Colour: Walnut

STONE LINE









31





2909 Botticino Classico dark EAN 4250055112814 Skirting: 2909-L | Colour: Black




2911 Botticino Classico light EAN 4250055112821 Skirting: 2911-L | Colour: Maple



5100 Grey Slate EAN 4250055112852

Skirting: 5100-L | Colour: Silver grey









SKIRTING REMARKS

In addition to the matching EQUIPPED strips with the same decor, 58 mm high and 2400 mm long, there are other white strips in the following formats:




Profile of our decor-matched skirting Skirting white 58 mm



EAN 4250055101405

0026 Skirting white 40 mm Length 2.400 mm EAN 4250055101221



Skiritng white 58 mm

EAN 4250055116317

Berliner skirting 78 mm

EAN 4250055116454


Length 2.400 mm

Length 2.400 mm

Weimarer skirting 50 mm EAN 4250055116348




Weimarer skirting 40 mm Length 2.500 mm EAN 4250055116331



Weimarer skirting 70 mm



Berliner skirting 90 mm Length 2.500 mm EAN 4250055101733




Quarter stick 17 mm

EAN 4250055101740


Length 2.500 mm

Skirting white 40 mm Length 2.600 mm EAN 4250055116300




Berliner skirting 58 mm Length 2.400 mm EAN 4250055116447






Length 2.500 mm







All corners, connectors and end caps are available in the following colours:

















1018 PREMIUM FOAM BLUE	1010 Basic Silent	1004 Silenced Board	1006 PREMIUM SOUND	1023 SUPERIOR PREMIUM SOUND		
4250055109289	4250055104345	4250055105038	4250055101900	4250055109661	EAN	
2.00 mm	2.00 mm	4.00 mm	1.80 mm	2.80 mm	Thickness	
1 x 25 m = 25 sqm	1.1 x 15 m = 16.5 sqm	15 Platten à 0.59 x 0.79 m = 7 sqm	1 x 8.5 m = 8.5 sqm	1 x 5.5 m = 5.5 sqm	Content	
0.20 kg/sqm	0.09 kg/sqm	1.28 kg/sqm	1.50 kg/sqm	2.40 kg/sqm	Grammage	
Polyethylene (PE)	XPS rigid foam	Wood fiber	Polyurethane (PU) / Aluminium (Alu)	Polyurethane (PU) / Aluminium (Alu)	Material	Product
Laminate and parquet floors	Laminate and parquet floors	Laminate and parquet floors	Laminate and parquet floors	Laminate and parquet floors	Area of application	
Roll	Roll	Plate	Roll	Roll	Packaging	
24 Rolls = 360 sqm	48 Rolls = 792 sqm	32 Packs = 223.73 sqm	40 Rolls = 340 sqm	40 Rolls = 220 sqm	Pallet size	
19 dB	19 dB	19 dB	18 dB	19 dB	Footstep sound insulation (IS)	Acoustics
20 %	14 %	-	25 %	30 %	Walking sound insulation (RWS)	Acoustics
60 kPa	90 kPa	147 kPa	215 kPa	120 kPa	Pressure stress (CS)	Usage
Efl	Efl	Efl	Bfl-S1	Bfl-S1	Fire behaviour (RTF)	usaye
0.038 sqm K/W	0.075 sqm K/W	0.06 sqm K/W	0.01 sqm K/W	0.01 sqm K/W	Thermal resistance (R)	
≥ 1.30 mm	1.00 mm	1.60 mm	1.02 mm	1.70 mm	Compensation of unevenness (PC)	Under- ground
-	-	-	> 75 m	> 75 m	Moisture protection (SD)	

38

