

LAMINAT
COLLECTION



JANGAL
the green way

the green way

NATURE, YOU CAN FEEL...

Laminate by JANGAL

THE NATURAL PRODUCT

Our laminate flooring products are all made with nature in mind. Thanks to the advanced production techniques and the use of renewable wood materials you can be safe in the knowledge you are laying an environmentally friendly product in your home.

Our floors are produced in Germany and Austria and consist of almost 100 % natural raw materials. Domestic timber is used exclusively for the production of the wood fibre boards which are the basis of the floors. Our superb selection of decors and designs is graphically reproduced true to nature using the most modern technology. So that no tree

in the rain forests of Asia or South America has to be cut down.

With our floors we offer you the opportunity to make your rooms attractive and homely in a sustainable way.

THE PRODUCT RANGE

Our JANGAL range includes more than 40 decors named after indigenous people, national parks, islands and mountains. The floors differ in their characteristics such as synchronous embossing, groove and plank format and their thickness from 7 mm to 12 mm.



Manufacturer is a member of the EPLF



INHALT

INDIGO LINE	04
7 mm Indigo Line Basic	06
NATIONAL PARK LINE	08
8 mm National Park line Plus	10
8 mm National Park Line Pro	12
8 mm National Park Line Ultimate	14
ISLAND LINE	18
10 mm Island Line Pro	20
STATE PARK LINE	22
12 mm State Park Line Plus	24
12 mm State Park Line Pro	26
MOUNTAIN LINE	28
8 mm Mountain Line Ultimate – tile format	30
STONE LINE	32
8 mm Stone Line – high-gloss laminate	34
DECOR OVERVIEW	36
TECHNICAL INFORMATION	40
EQUIPPED – ACCESSORIES	42

7 mm click laminate

INDIGO LINE

For thousands of years, the most diverse indigenous people have populated the continents to this day. The natural decors of the „JANGAL Indigo Line“ are as diverse as the different indigenous people. The laminate floors with a thickness of 7 mm are among the best-selling floor coverings. Thanks to their low installation height, the floors are particularly renovation-friendly and, with their utilisation class of 31, they are ideal for all private and light commercial uses.

15 YEARS
JANGAL GUARANTEE

Recommended private
utilisation class:



15 YEARS
JANGAL GUARANTEE

Recommended commercial
utilisation class:



Loc-Click



INDIGO LINE BASIC

7 x 193 x 1383 mm

10 panels / box
2.670 sqm / box
approx. 15.4 kg / box
52 boxes / pallet
138.8 sqm / pallet

8135 Kiowa Oak



8132 Ottawa Oak
Skirting: 2427-L | Accessories colour: Oak




8133 Creek Oak
Skirting: 8129-L | Accessories colour: Grey



8134 Cherokee Oak
Skirting: 3075-L | Accessories colour: Maple




8135 Kiowa Oak
Skirting: 2416-L | Accessories colour: Grey



7194 Naga Oak
Skirting: 2423-L | Accessories colour: Grey



8029 Rona Oak
Skirting: 8145-L | Accessories colour: Oak



8138 Eskimo Oak
Skirting: 6502-L | Accessories colour: Maple

8 mm click laminate

NATIONAL PARK LINE

National parks protect special areas, landscapes and their animal richness in this world. They are characterized by a unique, undisturbed landscape, wilderness and natural abundance of species. In the „JANGAL National Park Line“ we present unique laminate floors in plank and wide plank formats inspired by the great natural diversity. Visually, the floors impress with their circumferential groove (4V-groove), which makes the planks look even more natural.

The National Park Line Ultimate floors are a special highlight of the collection. With their synchronous surface they create the impression of a real wooden floor. Thanks to a utilisation class of 32, the decors can be used in the medium commercial sector.

25 YEARS **3 YEARS**

JANGAL GUARANTEE **JANGAL GUARANTEE**

Recommended private
utilisation class:



Recommended commercial
utilisation class:




Easy-Click







NATIONAL PARK LINE PLUS




8052 Soil Oak
Skirting: 2008-L | Accessories colour: Grey



8054 Grey Oak
Skirting: 8147-L | Accessories colour: Silver grey




8055 Nature Oak
Skirting: 2072-L | Accessories colour: Oak




8200 Gobi Oak
Skirting: 3073-L | Accessories colour: Maple

1-strip
(country plank)



8 x 193 x 1380 mm

8 panels / box
2.131 sqm / box
approx. 14.3 kg / box
56 boxes / pallet
119.3 sqm / pallet



8201 Zion Oak
Skirting: 6501-L | Accessories colour: Silver grey


8201 Zion Oak



NATIONAL PARK LINE PRO

8058 Structure Oak

1-strip
(country plank)



8 x 244 x 1380 mm


8 panels / box

2.694 sqm / box

approx. 18.0 kg / box

42 boxes / pallet

113.1 sqm / pallet




8147 Dry Oak

Skirting: 8147-L | Accessories colour: Silver grey




8148 Silent Oak

Skirting: 8148-L | Accessories colour: Maple



8202 Sarek Oak

Skirting: 8145-L | Accessories colour: Maple




8203 Muddus Oak

Skirting: 2418-L | Accessories colour: Oak




8058 Structure Oak

Skirting: 8058-L | Accessories colour: Silver grey



8145 Bright Oak

Skirting: 8145-L | Accessories colour: Oak




8204 Redwood Oak


Skirting: 8204-L | Accessories colour: Silver grey




8019 Golden Stream Oak
Skirting: 8019-L | Accessories colour: Oak



8024 Honey Camp Oak
Skirting: 8024-L | Accessories colour: Silver grey




8081 Blyde River Oak
Skirting: 2051-L | Accessories colour: Grey



8084 Liuwa Oak
Skirting: 2051-L | Accessories colour: Grey

NATIONAL PARK LINE ULTIMATE

1-strip
(country plank)



8 x 244 x 1380 mm

8 panels / box
2.694 sqm / box
approx. 18.0 kg / box
42 boxes / pallet
113.1 sqm / pallet



8024 Honey Camp Oak

8081 Blyde River Oak



8085 Lunga Oak
Skirting: 8085-L | Accessories colour: Oak




8086 Okavango Oak
Skirting: 8086-L | Accessories colour: Grey



8103 Nairobi Oak
Skirting: 6502-L | Accessories colour: Maple



8104 Zembra Oak
Skirting: 2008-L | Accessories colour: Grey



8129 Kosi Bay Oak
Skirting: 8129-L | Accessories colour: Grey



8086 Okavango Oak

10 mm click laminate

ISLAND LINE

Small and large islands belong to every continent of this world, which are either inhabited by humans and animals alike or simply offer special natural sights and provide a home for rare animal species. Like the islands, the floors of the „JANGAL Island Line“ have their own special character. With a product thickness of 10 mm, they are robust and durable.

The decors in plank and wide plank format impress with their all-round 4V-groove as well as naturally tactile surface, which runs synchronously with the wood grain. The use in commercial areas with heavy traffic is no problem due to the utilisation class of 33.

30 YEARS 5 YEARS

JANGAL GUARANTEE

Recommended private utilisation class:



JANGAL GUARANTEE


Recommended commercial utilisation class:



Easy-Click




1-strip
(country plank)




10 x 193 x 1380 mm


6 panels / box
1.598 sqm / box
approx. 13.3 kg / box
56 boxes / pallet
89.5 sqm / pallet



6500 Nendo Chestnut
Skirting: 6500-L | Accessories colour: Black



6501 Toga Chestnut
Skirting: 6501-L | Accessories colour: Maple



6502 Mota Chestnut
Skirting: 6502-L | Accessories colour: Oak

ISLAND LINE PRO

6500 Nendo Chestnut



12 mm click laminate

STATE PARK LINE

A „state park“ is a landscape in the U.S. that is particularly worthy of protection. They resemble national parks, but are usually smaller and consequently less famous. The „JANGAL State Park Line“ is dedicated to these.

With a thickness of 12 mm, these decors are among the most stable designs. Due to their robustness and thickness, the floor shows little signs of wear and a particularly strong click connection, making it suitable for intensive commercial use (utilisation class of 33). The decors are available with 4V-groove. The State Park Line Pro also stands out for its synchronous surface structure.

30 YEARS
JANGAL GUARANTEE

Recommended private
utilisation class:



5 YEARS
JANGAL GUARANTEE

Recommended commercial
utilisation class:



Easy-Click







2987 Trinity Oak
Skirting: 2987-L | Accessories colour: Oak



3073 Tula Oak
Skirting: 3073-L | Accessories colour: Oak




3075 Chico Oak
Skirting: 3075-L | Accessories colour: Silver grey



8153 Outamba Oak
Skirting: 8145-L | Accessories colour: Oak

STATE PARK LINE PLUS

1-strip
(country plank)




12 x 188 x 1375 mm

5 panels / box
1.293 sqm / box
approx. 12.9 kg / box
56 boxes / pallet
72.4 sqm / pallet

3073 Tula Oak

1-strip
(country plank)



12 x 188 x 1375 mm

5 panels / box

1.293 sqm / box

approx. 12.9 kg / box

56 boxes / pallet

72.4 sqm / pallet




3221 Brill Oak

Skirting: 3221-L | Accessories colour: Maple



3570 Seaward Oak

Skirting: 8019-L | Accessories colour: Oak



3590 Tanon Oak

Skirting: 8100-L | Accessories colour: Walnut

STATE PARK LINE PRO

3221 Brill Oak

8 mm click tile laminate

MOUNTAIN LINE

The entire planet is littered with thousands of small and large, famous and not so famous mountains. Some of these mountains can now be found in our „JANGAL Mountain Line“. The 8 mm thick tile planks of the Mountain Line are available in two formats and are impressive for their realistic look. The genuine stone surface emphasizes the natural character of the floor, which creates an unrivaled effect in the room.

With a utilisation class of 32, the tile laminate floors can be used in the medium commercial sector.

20 YEARS 5 YEARS

JANGAL GUARANTEE

Recommended private
utilisation class:



JANGAL GUARANTEE

Recommended commercial
utilisation class:



One-Click





MOUNTAIN LINE ULTIMATE



5114 Elbrus Slate
Skirting: 5114-L | Accessories colour: Grey



5115 Manaslu Slate
Skirting: 5115-L | Accessories colour: Silver grey



5116 Nevado Slate
Skirting: 5116-L | Accessories colour: Black



Tile decor



8 x 327 x 635 mm

- 11 panels / box
- 2.280 sqm / box
- approx. 15.4 kg / box
- 32 boxes / pallet
- 73.0 sqm / pallet

5115 Manaslu Slate



8 mm high-gloss laminate

STONE LINE


Created over thousands of years and as multifaceted as our soils: the rocks of this world on which we build our lives. Inspired by nature, the „JANGAL Stone Line“ presents highly impressive decors. The floors are 8 mm thick and the ideal flooring for those who are looking for something special.

The high-gloss look perfectly suits any interior style, turning any room into a real eye-catcher. With an abrasion class of 4, the floors are also very hard-wearing, so that even heavier use does not cause any problems.


AC 4

Easy-Click






STONE LINE




High-gloss decor




8 x 400 x 810 mm

8 panels / box
2.592 sqm / box
approx. 19.1 kg / box
39 boxes / pallet
101.1 sqm / pallet

2909 Botticino Classico dark




2909 Botticino Classico dark
Skirting: 2909-L | Accessories colour: Black




2911 Botticino Classico light
Skirting: 2911-L | Accessories colour: Maple



2921 Carrara Marmor
Skirting: 2921-L | Accessories colour: SilberGrey



2935 Plain White
Skirting: 2935-L | Accessories colour: White



5100 Grey Slate
Skirting: 5100-L | Accessories colour: Silver grey


Decor overview

INDIGO LINE BASIC




Utilisation class of use for private/commercial use:


7 x 193 x 1383 mm | 10 panels / box | 2.670 sqm / box | weight approx. 15.4 kg | 52 boxes / pallet | 138.8 sqm / pallet



7194 Naga Oak
EAN 9006936499636
Skirting: 2423-L | Colour: Grey




8029 Rona Oak
EAN 4250055102228
Skirting: 8145-L | Colour: Oak



8132 Ottawa Oak
EAN 4250055105823
Skirting: 2427-L | Colour: Oak




8133 Creek Oak
EAN 4250055105830
Skirting: 8129-L | Colour: Grey



8134 Cherokee Oak
EAN 4250055105847
Skirting: 3075-L | Colour: Maple



8135 Kiowa Oak
EAN 4250055105854
Skirting: 2416-L | Colour: Grey



8138 Eskimo Oak
EAN 4250055105885
Skirting: 6502-L | Colour: Maple

NATIONAL PARK LINE PLUS



Utilisation class of use for private/commercial use:


8 x 193 x 1380 mm | 8 panels / box | 2.131 sqm / box | weight approx. 14.3 kg | 56 boxes / pallet | 119.3 sqm / pallet




8052 Soil Oak
EAN 4250055102600
Skirting: 2008-L | Colour: Grey



8054 Grey Oak
EAN 4250055102624
Skirting: 8147-L | Colour: Silver grey



8055 Nature Oak
EAN 4250055102631
Skirting: 2072-L | Colour: Oak



8200 Gobi Oak
EAN 4250055112890
Skirting: 3073-L | Colour: Maple



8201 Zion Oak
EAN 4250055112906
Skirting: 6501-L | Colour: Silver grey

NATIONAL PARK LINE PRO




Utilisation class of use for private/commercial use:

8 x 244 x 1380 mm | 8 panels / box | 2.694 sqm / box | weight approx. 18.0 kg | 42 boxes / pallet | 113.1 sqm / pallet




8058 Structure Oak
EAN 4250055103737
Skirting: 8058-L | Colour: Silver grey



8145 Bright Oak
EAN 4250055107056
Skirting: 8145-L | Colour: Oak



8147 Dry Oak
EAN 4250055107070
Skirting: 8147-L | Colour: Silver grey



8148 Silent Oak
EAN 4250055107087
Skirting: 8148-L | Colour: Maple



8202 Sarek Oak
EAN 4250055112913
Skirting: 8145-L | Colour: Maple



8203 Muddus Oak
EAN 4250055112920
Skirting: 2418-L | Colour: Oak



8204 Redwood Oak
EAN 4250055112937
Skirting: 8204-L | Colour: Silver grey

NATIONAL PARK LINE ULTIMATE




Utilisation class of use for private/commercial use:

8 x 244 x 1380 mm | 8 panels / box | 2.694 sqm / box | weight approx. 18.0 kg | 42 boxes / pallet | 113.1 sqm / pallet



8019 Golden Stream Oak
EAN 4250055102105
Skirting: 8019-L | Colour: Oak



8024 Honey Camp Oak
EAN 4250055102082
Skirting: 8024-L | Colour: Silver grey



8081 Blyde River Oak
EAN 4250055104581
Skirting: 2051-L | Colour: Grey




8084 Liwa Oak
EAN 4250055104611
Skirting: 2051-L | Colour: Grey



8085 Lunga Oak
EAN 4250055104628
Skirting: 8085-L | Colour: Oak



8086 Okavango Oak
EAN 4250055104635
Skirting: 8086-L | Colour: Grey



8103 Nairobi Oak
EAN 4250055104871
Skirting: 6502-L | Colour: Maple



8104 Zembra Oak
EAN 4250055104888
Skirting: 2008-L | Colour: Grey




8129 Kosi Bay Oak
EAN 4250055105793
Skirting: 8129-L | Colour: Grey

ISLAND LINE PRO




Utilisation class of use for private/commercial use:


10 x 193 x 1380 mm | 6 panels / box | 1.598 sqm / box | weight approx. 13.3 kg | 56 boxes / pallet | 89.5 sqm / pallet



6500 Nendo Chestnut
EAN 4250055102143
Skirting: 6500-L | Colour: Black



6501 Toga Chestnut
EAN 4250055102150
Skirting: 6501-L | Colour: Maple




6502 Mota Chestnut
EAN 4250055102167
Skirting: 6502-L | Colour: Oak

STATE PARK LINE PLUS




Utilisation class of use for private/commercial use:

12 x 188 x 1375 mm | 5 panels / box | 1.293 sqm / box | weight approx. 12.9 kg | 56 boxes / pallet | 72.4 sqm / pallet




2987 Trinity Oak
EAN 4250055108343
Skirting: 2987-L | Colour: Oak



3073 Tula Oak
EAN 4250055108350
Skirting: 3073-L | Colour: Oak



3075 Chico Oak
EAN 4250055108374
Skirting: 3075-L | Colour: Silver grey



8153 Outamba Oak
EAN 4250055108299
Skirting: 8145-L | Colour: Oak

STATE PARK LINE PRO



Utilisation class of use for private/commercial use: AC 4

12 x 188 x 1375 mm | 5 panels / box | 1.293 sqm / box | weight approx. 12.9 kg | 56 boxes / pallet | 72.4sqm / pallet



3221 Brill Oak
EAN 4250055110162
Skirting: 3221-L | Colour: Maple



3570 Seaward Oak
EAN 4250055110179
Skirting: 8019-L | Colour: Oak



3590 Tanon Oak
EAN 4250055110193
Skirting: 8100-L | Colour: Walnut

MOUNTAIN LINE ULTIMATE



Utilisation class of use for private/commercial use: AC 4

8 x 327 x 635 mm | 11 panels / box | 2.280 sqm / box | weight approx. 15.4 kg | 32 boxes / pallet | 73.0 sqm / pallet



5114 Elbrus Slate
EAN 4250055110865
Skirting: 5114-L | Colour: Grey



5115 Manaslu Slate
EAN 4250055110872
Skirting: 5115-L | Colour: Silver grey




5116 Nevado Slate
EAN 4250055110889
Skirting: 5116-L | Colour: Black

STONE LINE



8 x 400 x 810 mm | 8 panels / box | 2.592 sqm / box | weight approx. 19.1 kg | 39 boxes / pallet | 101.1 sqm / pallet



2909 Botticino Classico dark
EAN 4250055112814
Skirting: 2909-L | Colour: Black




2911 Botticino Classico light
EAN 4250055112821
Skirting: 2911-L | Colour: Maple



2921 Carrara Marmor
EAN 4250055112838
Skirting: 2921-L | Colour: Silver grey



2935 Plain White
EAN 4250055112845
Skirting: 2935-L | Colour: White



5100 Grey Slate
EAN 4250055112852
Skirting: 5100-L | Colour: Silver grey




the green way



TECHNICAL INFORMATION

FORMAT

Our floors are available in tile, plank and wide plank formats.



DECOR PATTERNS



4V-GROOVE

With a circumferential groove along the long and short edges, the result is an installation pattern with the charm and elegance of a genuine wooden plank floor, as each individual plank is accentuated.




SYNCHRONOUSLY EMBOSSED SURFACE

To enhance the authenticity, synchronous embossing is utilised to create a textured surface that emulates the natural look and touch of real wood and matches the design.

UTILISATION CLASS

PRIVATE USE		COMMERCIAL USE	
UTILISATION CLASS	INTENSITY OF USE	UTILISATION CLASS	INTENSITY OF USE
21	light	31	light
22	medium	32	medium
23	heavy	33	heavy

CLICK-CONNECTIONS



EASY-CLICK

With the Easy-Click connection, each plank can be laid individually. The planks are angled at the long sides and locked at the short sides by lightly pressing them in.



ONE-CLICK

With this click connection, a row is first created across the entire width of the room by clicking on the front side. The next row is clicked lengthways into the groove profile of the previous row. To lock, the plank is angled downwards and snapped into place with pressure from above until an audible click is heard.



LOC-CLICK

With the Loc-Click connection, a row is first created over the entire width of the room by clicking on the front. The planks of the second row are not yet connected to the longitudinal side of the first row. Only after the planks of the second row are connected on the front side is the tongue of the second row connected to the groove of the first row by lifting slightly.



The click connections are ideally suited for floating installation on your own. Detailed installation instructions can be found on the insert or the back of each box, at jungal.eu or as videos on our YouTube channel.

COLLECTION OVERVIEW

COLLECTION OVERVIEW	m ² /BOX	BOXES / PALLET	LOC-CLICK	EASY-CLICK	ONE-CLICK	GROOVE	SYNCHRONOUSLY EMBOSSED SURFACE	SPECIAL FORMAT	PAGE
7 mm Indigo Line Basic	2.670	138.8	▲						06
8 mm National Park Line Plus	2.131	119.3		▲		▲			10
8 mm National Park Line Pro	2.694	113.1		▲		▲		▲	12
8 mm National Park Line Ultimate	2.694	113.1		▲		▲	▲	▲	14
10 mm Island Line Pro	1.598	89.5		▲		▲	▲		20
12 mm State Park Line Plus	1.293	72.4		▲		▲			24
12 mm State Park Line Pro	1.293	72.4		▲		▲	▲		26
8 mm Tile Mountain Line Ultimate	2.280	73.0			▲	▲		▲	30
8 mm High-gloss Stone Line	2.592	101.1		▲		▲		▲	34

FEATURES



non-slip



abrasion-resistant



suitable for hot water underfloor heating



fireproof



chair castor suitable



impact resistant



largely resistant to cigarette burns



emission-reduced



lightproof



stain resistant



pentachlorophenol free



not suitable for damp areas

»EQUIPPED«

FOR A PERFECT FINISHING TOUCH...

To make sure that you enjoy your new floor for a longer period of time, it is very important to choose the right accessories. The "EQUIPPED" brand offers a wide range of impact sound underlays, baseboards, clip systems and corners. The impact sound range comprises of nine different insulation underlays for laminate floors, available in thicknesses from 1.8 mm to 4 mm.


Likewise, each JANGAL floor is available with a matching decor or white (paintable) baseboard, which offers the possibility to let a cable disappear behind it. Completed with end caps on projections or door frames as well as connectors and internal corners, this range offers everything needed in completing the installation.

SKIRTING REMARKS

In addition to the matching EQUIPPED strips with the same decor, 58 mm high and 2400 mm long, there are other white strips in the following formats:

Profile of our decor-matched skirting

- 0027** Skirting white 58 mm
Length 2.400 mm
EAN 4250055101405
- 0026** Skirting white 40 mm
Length 2.400 mm
EAN 4250055101221
- 0032** Quarter stick 17 mm
Length 2.500 mm
EAN 4250055101740
- 0037** Weimarer skirting 50 mm
Length 2.500 mm
EAN 4250055116348
- 0036** Weimarer skirting 40 mm
Length 2.500 mm
EAN 4250055116331
- 0041** Berliner skirting 78 mm
Length 2.400 mm
EAN 4250055116454
- 0034** Skirting white 40 mm
Length 2.600 mm
EAN 4250055116300
- 0039** Weimarer skirting 70 mm
Length 2.500 mm
EAN 4250055116355
- 0040** Berliner skirting 58 mm
Length 2.400 mm
EAN 4250055116447
- 0031** Berliner skirting 90 mm
Length 2.500 mm
EAN 4250055101733
- 0038** Weimarer skirting 58 mm
Length 2.400 mm
EAN 4250055116324
- 0030** Weimarer skirting 80 mm
Length 2.500 mm
EAN 4250055101726



All corners, connectors and end caps are available in the following colours:

Maple	Beech	Oak	Walnut
Grey	Silver grey	Black	White

Corners, connectors and end caps for 58 mm skirtings:

Labels on packaging: ENDKAPPE, VERBINDER, AUSSENECKE, ZUBEHÖR, BEFESTIGUNGSKLIPSE FÜR SOCKELLEISTEN

Quantity: 30x

Length: 15m

Installation Point



1002 BASIC FOAM 2MM **1003 BASIC FOAM 3MM** **1014 BASIC FOAM PLUS** **1017 PREMIUM FOAM GREY**



1018 PREMIUM FOAM BLUE **1010 BASIC SILENT** **1004 SILENCED BOARD** **1006 PREMIUM SOUND** **1023 SUPERIOR PREMIUM SOUND**

Product	EAN	4250055105007	4250055109333	4250055106424	4250055109272
	Thickness	2.00 mm	3.00 mm	2.00 mm	2.00 mm
	Content	1 x 25 m = 25 sqm	1 x 25 m = 25 sqm	1 x 15 m = 15 sqm	1 x 25 m = 25 sqm
	Grammage	0.04 kg/sqm	0.06 kg/sqm	0.07 kg/sqm	0.14 kg/sqm
	Material	Polyethylene (PE)	Polyethylene (PE)	Polyethylene (PE) / Aluminium (Alu)	Polyethylene (PE)
	Area of application	Laminate and parquet floors	Laminate and parquet floors	Laminate and parquet floors	Laminate and parquet floors
	Packaging	Roll	Roll	Roll	Roll
Acoustics	Footstep sound insulation (IS)	18 dB	19 dB	18 dB	19 dB
	Walking sound insulation (RWS)	-	-	-	7 %
	Pressure stress (CS)	10 kPa	10 kPa	10 kPa	50 kPa
	Fire behaviour (RTF)	Efl	Efl	Efl	Efl
	Thermal resistance (R)	0.038 sqm K/W	0.057 sqm K/W	0.05 sqm K/W	0.038 sqm K/W
	Compensation of unevenness (PC)	-	> 1.00 mm	1.55 mm	≥ 1.40 mm
	Moisture protection (SD)	-	-	> 75 m	-

Product	EAN	4250055109289	4250055104345	4250055105038	4250055101900	4250055109661	EAN
	Thickness	2.00 mm	2.00 mm	4.00 mm	1.80 mm	2.80 mm	Thickness
	Content	1 x 25 m = 25 sqm	1.1 x 15 m = 16.5 sqm	15 Platten à 0.59 x 0.79 m = 7 sqm	1 x 8.5 m = 8.5 sqm	1 x 5.5 m = 5.5 sqm	Content
	Grammage	0.20 kg/sqm	0.09 kg/sqm	1.28 kg/sqm	1.50 kg/sqm	2.40 kg/sqm	Grammage
	Material	Polyethylene (PE)	XPS rigid foam	Wood fiber	Polyurethane (PU) / Aluminium (Alu)	Polyurethane (PU) / Aluminium (Alu)	Material
	Area of application	Laminate and parquet floors	Laminate and parquet floors	Laminate and parquet floors	Laminate and parquet floors	Laminate and parquet floors	Area of application
	Packaging	Roll	Roll	Plate	Roll	Roll	Packaging
Acoustics	Footstep sound insulation (IS)	19 dB	19 dB	19 dB	18 dB	19 dB	Footstep sound insulation (IS)
	Walking sound insulation (RWS)	20 %	14 %	-	25 %	30 %	Walking sound insulation (RWS)
	Pressure stress (CS)	60 kPa	90 kPa	147 kPa	215 kPa	120 kPa	Pressure stress (CS)
	Fire behaviour (RTF)	Efl	Efl	Efl	Bfl-S1	Bfl-S1	Fire behaviour (RTF)
	Thermal resistance (R)	0.038 sqm K/W	0.075 sqm K/W	0.06 sqm K/W	0.01 sqm K/W	0.01 sqm K/W	Thermal resistance (R)
	Compensation of unevenness (PC)	≥ 1.30 mm	1.00 mm	1.60 mm	1.02 mm	1.70 mm	Compensation of unevenness (PC)
	Moisture protection (SD)	-	-	-	> 75 m	> 75 m	Moisture protection (SD)



JANGAL
the green way

LAMINAT COLLECTION

JANGAL is a European-wide registered
Trademark of the Koczwaro Vertriebs-GmbH.

Our team is here for you. Send us your
requirements and we will solve them. Our
logistics and sales network can handle
almost any task.

jangal.eu

Koczwaro Vertriebs-GmbH
Scheuten-Solar-Straße 2
45881 Gelsenkirchen
GERMANY

Error and changes
reserved.

© picture sources e.g. Fotolia,
shutterstock & 123RF

Version 1/2022

the green way